

48th Scale  
NO.  
48-41



F-15A EAGLES  
**MICROSCALE DECAL**  
BY KRASEL INDUSTRIES, INC. SANTA ANA, CA. 92705

AIRCRAFT  
'2.50

48th Scale  
NO.  
48-41



F-15A EAGLES  
**MICROSCALE DECAL**  
BY KRASEL INDUSTRIES, INC. SANTA ANA, CA. 92705

AIRCRAFT  
'2.50


The MICRO SCALE DECAL is the thinnest, most versatile decal made. It will conform to the irregular surfaces found on models because of its strength and flexibility. These characteristics are not found on any other decal made. When used with the MICRO SCALE SYSTEM the MICRO SCALE DECAL will help produce the most realistic model you can make.

The MICRO SCALE SYSTEM is simple to use but each step must be followed as described to assure perfect results. The elimination of any step may cause blushing (silverying of the decal film) or an uneven finish on the completed model.

### THE MICRO SCALE DECAL SYSTEM

1. Surface to be decalced must have a smooth, glossy, painted finish. (Do not apply decals to unpainted surfaces or they will not adhere.) To obtain this surface either paint the model with glossy paints or spray MICRO GLOSS over matte-finish paint. **IMPORTANT:** Spray MICRO GLOSS over entire model or uneven patches will appear when the flat finish is added later. Allow paint to dry thoroughly.
2. For best results, surface to be decalced should be horizontal. A small vise is helpful here, or a box can be made into a jig to allow the model to lay on its side.
3. Cut each decal subject from the sheet only as needed. **DO NOT** cut clear film away from design. Using tweezers, dip decal completely into water then remove and allow decal adhesive to soften. About one minute should be sufficient.
4. While adhesive is softening use a soft, medium-size brush, a No. 7 red sable water color brush is ideal, and wet the area to be decalced with a few drops of MICRO SET (Blue label). This contains a wetting agent and helps eliminate tiny air bubbles.
5. Holding the decal paper with tweezers, use the brush to slide the loosened decal into the MICRO SET on the model.
6. Now place a few drops of MICRO SOL (Red label) directly onto the decal and position the decal exactly where it is to remain.
7. The MICRO SOL will soften the decal and allow it to conform exactly to the surface beneath. **DURING THIS PROCESS THE DECAL WILL WRINKLE AND DISTORT. DO NOT TOUCH IT! THIS IS NATURAL AND AN IMPORTANT PART OF THE SYSTEM!** As the decal dries it will flatten-out and lay down. When finally dry there will be no distortion and the decal will be permanently bonded to the paint beneath. Actual drying time will vary according to temperature and humidity.
8. When decal is dry, examine it for any air bubbles. If any are found, puncture them with a sharp needle and put a drop of MICRO SOL over the bubble and allow to dry.
9. Carefully examine the clear film to be sure no silverying has appeared. If any is present, puncture the film several times with a sharp needle and apply MICRO SOL. The silverying should vanish as the SOL touches it.
10. After the decals have dried for several hours, carefully wash the decal adhesive from the entire model.
11. After the decals have dried for at least 12 hours, complete the model by spraying with either MICRO FLAT or MICRO GLOSS, depending on the sheen desired on the finished model.

Recommended Kits= Fujimi, Otaki




STREAK EAGLE




The International Plastic Modelers Society is an organization devoted to developing the plastic modeling art. It was formed "By Modelers - For Modelers". If you wish to expand your modeling talents, write for further information to: IPMS/USA, New Member Information, P.O. Box 2555, Long Beach, Ca., 90801; or P.O. Box 163, Ben Franklin Station, Washington D.C., 20044.

F-15A STREAK EAGLES  
Holder of 8 Time Climb Records  
Overall Natural Metal Finish




TF-15A 555 TPTS 58TFW  
Overall Air Superiority Blue




F-15A 57th FW  
2 Tone Compass Gray Scheme



F-15A 555TPTS 58TFW  
2 Tone Compass Gray Scheme



F-15A 461 TPTS 58 TFIW  
2 Tone Compass Gray Scheme




F-15A EAGLES

2 Tone Compass Gray Scheme

Redish Brown Canopy Framing

FS 36320


FS 36375



F-15A 71 TFS 1st TFW  
2 Tone Compass Gray Scheme

RED BAND  
outside of  
fin only

All Codes Black



116




BOTH SIDES

F-15A 27th TFS 1st TFW  
2 Tone Compass Gray Scheme

YELLOW BAND  
outside of  
fin only

All Codes Black



FF  
AF 74 087




BOTH SIDES

F-15A 94th TFS 1st TFW  
2 Tone Compass Gray Scheme

BLUE BAND  
outside of  
fin only

All Codes Black




029



BOTH SIDES

F-15A 36th TFW  
2 Tone Compass Gray

All Codes Black



BT  
AF 75 064

FS 36375 (LT. GRAY)

PACTRA

- 30 PARTS PRIMER WHITE
- 8 PARTS SCALE BLACK
- 21/2 PARTS ROYAL BLUE
- 11/2 PARTS LEMON YELLOW
- 1/2 PART INSIGNIA RED

FLOQUIL

- 172 PARTS RR11 REEFER WHITE
- 7 PARTS RR10 ENGINE BLACK
- 7 PARTS RR50 DK. BLUE
- 3 PARTS RR31 REEFER YELLOW
- 1 PART RR20 CABOOSE RED

HUMBROL

- 53 PARTS HB-11 UNDERSIDE WHITE
- 4 PARTS HB-10 NIGHT BLACK
- 9 PARTS HG-10 GERMAN LT. BLUE
- 2 PARTS HT-6 INSIGNIA YELLOW
- 1 PART HT-5 MARKER RED

POLLY S

- 140 PARTS PF-11 WHITE
- 19 PARTS PF-10 BLACK
- 6 PARTS PF-30 BLUE
- 4 PARTS PF-40 YELLOW
- 4 PARTS PF-20 RED

FS 36320 (DK. GRAY)

PACTRA

- 30 PARTS PRIMER WHITE
- 10 PARTS SCALE BLACK
- 3 PARTS ROYAL BLUE
- 11/2 PARTS LEMON YELLOW
- 1/2 PART INSIGNIA RED

FLOQUIL

- 142 PARTS RR11 REEFER WHITE
- 8 PARTS RR10 ENGINE BLACK
- 3 PARTS RR50 DARK BLUE
- 2 PARTS RR31 REEFER YELLOW
- TINT RR 20 CABOOSE RED


HUMBROL

- 32 PARTS HB-11 UNDERSIDE WHITE
- 4 PARTS HB-10 NIGHT BLACK
- 8 PARTS HG-10 GERMAN LT. BLUE
- 2 PARTS HT-6 INSIGNIA YELLOW
- 1 PART HT-5 MARKER RED

POLLY S


- 146 PARTS PF-11 WHITE
- 31 PARTS PF-10 BLACK
- 8 PARTS PF-30 BLUE
- 6 PARTS PF-40 YELLOW
- 5 PARTS PF-20 RED

THIS DECAL SHEET CONTAINS EXTRA  
NUMBERS TO ENABLE YOU TO PRODUCE  
ALMOST ANY F-15.



TF-15A CANOPY

1/48th Scale




FS 36320

FS 36375

Natural Metal



104 III 620 916  
104 III 620 916



1234567890  
AF AF AF AF AF AF AF AF AF AF  
73 73 74 74 75 75 76 76 77 77

AF AF AF AF AF AF AF AF AF AF  
73 73 74 74 75 75 76 76 77 77



AF 74 AF 74

AF 74 AF 74

LA 906

116

LALA

FFFF

WABT



911

LA 906

LALA

FFFF

BTWA

0029 064 III III 064 0029

087 042 104 104 042 087

1234567890 1234567890

1234567890 1234567890