


48132



Barbarossa 1

THE INVASION OF RUSSIA 1941



Suggested Kit: Hasegawa/Hobbycraft Bf-109 Family





productions

Barbarossa 1

THE INVASION OF RUSSIA 1941

Messerschmitt Bf 109 F-2 'Black 12/ Hermannchen' Uffz. Peter Bremer, 2./JG 54. Autumn 1941. Heavy mottling of RLM 02/70/79 has been applied over the original RLM 74/75/76 scheme to match seasonal colouring. The serial number we provided is fictitious. Use only if you desire. We are providing also an extra set of crosses (decal 3) in case you wish to paint the yellow band yourself. Notice unusual striping on pitot tube.




Recommended References:

- Jagdwaffe, Volume 3 Barbarossa, Classic Colours, Classic Publications.
- Messerschmitt Bf 109, Warpaint Special No.2, Hall Park Books.
- Bf 109 Aces of the Russian Front, Aircraft of the Aces No. 37, Osprey Publishing.
- Messerschmitt Bf 109F, Burin-Do Pub. by S. Nohara.

Messerschmitt Bf 109 E-4/B W.Nr. 3605 'Red 5' Ofw. Reinhold Schmetzer, 8./JG 77 July 1941 'Red 5' has been overpainted in RLM 70 or 71. However, replacement panels on the cowlings and wear at the base of the rudder show the original RLM 70/71/65 scheme

Recommended Kits:

- Hasegawa/Hobbycraft Bf-109 Family.




Messerschmitt Bf 109 F-2 'Yellow 6' 7./JG 54. Winter 1941. A temporary coat of White paint has been applied over the original RLM 75/75/76 scheme. However, this shows signs of wear and weathering. Notice fading Yellow sections. The landing gear doors have been removed. The serial number we provided is fictitious. Use only if you desire.

To simulate the White wash camouflage paint, we recommend that:

1. Paint the aircraft as it originally looked.
2. With a very thinned out White paint, CAREFULLY, apply an irregular and uneven coat of White, not trying to cover all of the basic scheme underneath. Be careful with the White wash and runs. They could spoil your model.
3. With regular White color, accentuate areas not accessed by the crew members.
4. Finish your model as you usually do. Give a mist of White wash to some decals after they are dry for added realism.
5. Before you begin, remember, patience pays.

Barbarossa I

THE INVASION OF RUSSIA 1941



Decaling:

Apply decals only to a glossy surface.

1. With a sharp scissors or knife, carefully cut item to be used, being careful of not cutting off the clear film around it or that belonging to an adjacent item.
2. Submerge in clean tap water for over 10 seconds and lay over an absorbent paper towel. Decal will slide freely in about 20 seconds. Do not leave decal on water bowl over ten seconds, or adhesive quality will suffer.

Decaling (cont):

3. With a clean brush, apply a setting solution to the area where the decal will finally lay. (Micro, Super or Aero Set will do). With a clean pointed brush slide the decal on to the final area. Allow the setting solution to dry for about 3-5 minutes.
4. With another clean brush, apply a solvent solution over the decal (Micro, Super or Aero Sol will do). Do this if possible in one stroke since your decal will soften up and wrinkle immediately. This is an important step in the process, whatever you do **DO NOT TOUCH THE DECAL**, after this process until it is totally dry, preferably overnight.
5. When thoroughly dry, rinse your model with tap water and mild soap to wash of excess glue.